Allergy

Setting the standard

ImmunoCAP[™] Specific IgE blood test results:

When you receive your patient's ImmunoCAP Specific IgE blood test results from the lab after ordering a regional respiratory profile, use the test results in conjunction with patient history, symptoms of why you tested, and physical exam to help interpret the results and decide on a patient management plan.



Sample respiratory pathway

Patients presenting with any of the following: nasal congestion, rhinorrhea, sneezing, itchy nose/eyes, coughing, wheezing, chest tightness, shortness of breath.

Order an ImmunoCAP Specific IgE blood test respiratory profile as an aid in diagnosis of IgE-mediated diseases.¹

Use the steps shown here to determine next steps based on detected sensitizations. Typical results scenarios are shown on page 2.

Interpret Results*



causes

<**0.1 kU_A/I** Consider other

≥0.1 kU_A/I

- Categorize results ranked from highest to lowest specific IgE sensitizations
- Provide allergen avoidance plan to keep patient below symptom threshold²
 - -Consider reducing exposure to allergens with the highest specific IgE levels first
 - Focus on indoor allergens since these may be easier to control³
- Prescribe appropriate medications, e.g. antihistamines²
- Follow up. If inadequate response, refer to specialist²



Establish an allergen avoidance and medication plan with your patient.

Regional profiles

Each region of the country has a different regional profile to account for different trees, weeds, and grasses. Perennial allergens (molds, dust mites, mouse urine, cockroach, dog and cat dander) are found year-round.



D = Dust mites

Dermatophagoides farina; Dermatophagoides pteronyssinus



E = Epidermal

Cat and dog dander; mouse urine



M = Molds

Alternaria alternata; Aspergillus fumigatus; Cladosporium herbarum; Penicillium chrysogenum





T = Trees

Alder, grey; Bayberry/sweet gale; Birch, common silver; Cedar, mountain; Cottonwood; Elm, american; Eucalyptus; Eucalyptus tree; Maple/ box elder; Maple leaf; Mesquite tree; Mimosa/acacia; Mulberry, white; Olive tree; Palm, queen; Pecan, hickory; Pine, white; Sycamore; Walnut; White ash; White; Oak



W = Weeds

Mugwort; Nettle; Pigweed, common; Ragweed, short; Rough marshelder; Russian thistle; Sheep sorrel; Wall pellitory



G = Grasses

Bahia grass, bermuda grass; Johnson grass; Rye grass, perennial; Redtop, bentgrass; Timothy grass



Respiratory profile result scenarios[†]

Specific IgE normal Total IgE normal		Specific IgE elevated Total IgE normal		Specific IgE elevated Total IgE elevated		Specific IgE normal Total IgE elevated	
		Alternaria alternata	<0.10	Cedar, mountain	0.12		
Birch, common silver	<0.10	Aspergillus fumigatus	<0.10	Cottonwood	0.20	Alder, grey	<0.10
Cedar, mountain	<0.10	Bermuda grass	<0.10	Elm, american	<0.10	Birch, common silver	<0.10
Elm, american	<0.10	Birch, common silver	<0.10	Oak, white	<0.10	Cedar, mountain	<0.10
Maple/box elder	<0.10	Cat dander	4.01	Olive tree	<0.10	Cottonwood	<0.10
Oak, white	<0.10	Cladosporium herbarum	<0.10	Mugwort	40.34	Elm, american	<0.10
Pecan, hickory	<0.10	Cockroach, german	<0.10	Pigweed, common	<0.10	Maple/box elder	<0.10
Nettle	<0.10	Common ragweed (short)	20.13	Common ragweed (short)	<0.10	Oak, white	<0.10
Pigweed, common	<0.10	D farinae	<0.10	Sheep sorrel	<0.10	Mugwort	<0.10
Common ragweed (short)	<0.10	D pteronyssinus	<0.10	Thistle, russian	>100	Pigweed, common	<0.10
Sheep sorrel	<0.10	Dog dander	<0.10	Bermuda grass	<0.10	Sheep sorrel	<0.10
Bahia grass	<0.10	Elm, american	<0.10	Bahia grass	<0.10	Thistle, russian	<0.10
Bermuda grass	<0.10	Maple/box elder	<0.10	Rye grass, perennial	<0.10	Timothy grass	<0.10
Alternaria alternata	<0.10	Cedar, mountain	<0.10	Alternaria alternata	<0.10	Alternaria alternata	<0.10
Aspergillus fumigatus	<0.10	Mouse urine proteins	<0.10	Aspergillus fumigatus	25.25	Aspergillus fumigatus	<0.10
Cladosporium herbarum	<0.10	Mulberry	<0.10	Cladosporium herbarum	21.85	Cladosporium herbarum	<0.10
Penicillium chrysogenum	<0.10	Oak, white	9.27	Penicillium chrysogenum	35.15	Penicillium chrysogenum	<0.10
Cat dander	<0.10	Pecan, hickory	<0.10	Cat dander	<0.10	Cat dander	<0.10
Cockroach, german	<0.10	Penicillium chrysogenum	<0.10	Cockroach, german	<0.10	Cockroach, german	<0.10
D farinae	<0.10	Rough marsh elder	<0.10	D farinae	<0.10	D farinae	<0.10
D pteronyssinus	<0.10	Pigweed, common	<0.10	D pteronyssinus	<0.10	D pteronyssinus	<0.10
Dog dander	<0.10	Timothy grass	<0.10	Dog dander	11.25	Dog dander	<0.10
Mouse urine	<0.10	Walnut	<0.10	Mouse urine	<0.10	Mouse urine	<0.10
Total IgE	10	Total IgE	20	Total IgE	210	Total IgE	380
Consider patient management as if non-allergic		Consider patient management as if allergic ~30% present this way. ⁶ This is why it is not recommended to screen with Total IgE. ⁶		Consider patient management as if allergic		Consider additional patient follow up Reconsider profile, geography, other exposures like furry/feathered animals, medications, or comorbid conditions.	

ImmunoCAP Specific IgE blood test results are quantitative. Results **above 0.1 kU_A/I** are indicative of an allergen-specific IgE sensitization.¹ Total IgE reference ranges reported in kU/I are dependent on age. Use your lab's reference range for Total IgE located on the results report.⁴

Levels of slgE are relative to an individual patient. Some patients may have low levels of slgE yet experience severe reactions. As in all diagnostic testing, any diagnosis or treatment plan must be made by the clinician based on test results, patient history, and knowledge of the patient.

¹Official product names mentioned within this document: ImmunoCAP Allergen 1, House dust mite, ImmunoCAP Allergen 2, House dust mite, ImmunoCAP Allergen 1, Cat dander, ImmunoCAP Allergen 5, Dog dander, ImmunoCAP Allergen e72, Mouse urine proteins, ImmunoCAP Allergen 17, Bahia grass, ImmunoCAP Allergen g2, Bermuda grass, ImmunoCAP Allergen g5, Rye-grass, ImmunoCAP Allergen g6, Timothy, ImmunoCAP Allergen i6, Cockroach, German, ImmunoCAP Allergen m1, Penicillium chrysogenum, ImmunoCAP Allergen m2, Cladosporium herbarum, ImmunoCAP Allergen m3, Aspergillus fumigatus, ImmunoCAP Allergen m6, Alternaria alternata, ImmunoCAP Allergen 110, Walnut, ImmunoCAP Allergen 14, Cottonwood, ImmunoCAP Allergen 12, Grey alder, ImmunoCAP Allergen 122, Cedar, ImmunoCAP Allergen 122, Pecan, Hickory, ImmunoCAP Allergen 13, Common silver birch, ImmunoCAP Allergen 17, Oak, ImmunoCAP Allergen 170, Mulberry, ImmunoCAP Allergen 18, Elm, ImmunoCAP Allergen 11, Box-elder, ImmunoCAP Allergen 17, Oak, ImmunoCAP Allergen 170, Mulberry, ImmunoCAP Allergen 18, Elm, ImmunoCAP Allergen 11, Box-elder, ImmunoCAP Allergen 19, Common ragweed, ImmunoCAP Allergen 11, Battwort (prickly), Russian thistle, ImmunoCAP Allergen w14, Common pigweed, ImmunoCAP Allergen w16, Rough marshelder, ImmunoCAP Allergen w16, Rough marshelder, ImmunoCAP Allergen w16, Rough marshelder, ImmunoCAP Allergen w16, Common pigweed, ImmunoCAP Allergen w16, Rough marshelder, ImmunoCAP Allergen w16, Common pigweed, ImmunoCAP Allergen w16, Rough marshelder, ImmunoCAP Allergen w16, Rough m

References

- 1. Phadia[™] ImmunoCAP[™] Specific IgE 0-100 Directions for Use for the Phadia 250 Laboratory System. Published 2019-10-24.
- 2. Papadopoulos, et al. Phenotypes and endotypes or rhinitis and their impact on management: a PRACTALL report. Allergy. 2015; 70; 474-494.
- 3. Matsui, E, et al. Indoor environmental control practices and asthma management. American academy of pediatrics. 2016.
- 4. Phadia[™] ImmunoCAP[™] Total IgE Directions for Use. Published 2019-10-29.

5. Data source on file.

6. Bernstein, L, et al. Allergy Diagnostic Testing: An Updated Practice Parameter. Annals of Allergy, Asthma, and Immunology. 2008. 100.S1-S148.

Learn more at thermofisher.com/ImmunoCAPsIgE

© 2023 Thermo Fisher Scientific Inc. All rights reserved. All trademarks are the property of Thermo Fisher Scientific and its subsidiaries unless otherwise specified. 325959.AL.US1.EN.v1.23

